

For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

Section 1: Identification

Product Name Pregnenolone Micronized

Commercial Name Pregnenolone

Product Use N/A
Restrictions On Use N/A

Product Code 30-5195

Company PCCA

9901 South Wilcrest Houston, TX 77099 Phone: 1-800-331-2498 Fax: 1-800-874-5760 In case of emergency contact: CHEMTREC (24hr) 1-800-424-9300

Section 2: Hazard(s) Identification

OSHA Haz Com: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

CFR 1910.1200 COMBUSTIBLE DUSTS AQUATIC HAZARD (LONG-TERM) - Category 4

Signal Word WARNING

Hazard Statement(s) May form combustible dust concentrations in air. May cause long lasting harmful effects to aquatic life.

Pictogram(s) or Symbol(s)

Precautionary Statement(s):

Prevention Avoid release to the environment.

Response N/A Storage N/A

Disposal Dispose of contents and container in accordance with all local, regional, national and international

regulations

Section 3: Composition/Information on Ingredients

Substance/Mixture Substance
Components Pregnenolone
% By Weight >=99% W/W
CAS# 145-13-1
Molecular Weight N/A
Chemical Formula N/A

Synonym(s) 3-beta-hydroxypregn-5-en-20-one; Pregn-5-en-20-one, 3-beta-hydroxy

Mixtures

 Name
 CAS#
 % by Weight
 TLV/PEL
 LC50/LD50

 Pregnenolone
 145-13-1
 >=99
 N/A
 N/A

(Revision Date 3/25) Page 1 of 7



For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

Section 4: First-Aid Measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical

Skin Contact

attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye Contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and

Ingestion

remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

belt or waistband

Symptoms/Effects **Acute**

Eye contact: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. Inhalation: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Skin contact: No known significant effects

or critical hazards Ingestion: No known significant effects or critical hazards

Delayed

Immediate Medical Attention

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media

Use dry chemical powder.

Unsuitable Extinguishing Media

Do not use water jet.

Products of Combustion

Fine dust clouds may form explosive mixtures with air. Decomposition products may include the following materials: carbon dioxide and carbon monoxide

Firefighters Special Equipment and Precautions

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode

Section 6: Accidental Release Measures

(Revision Date 3/25) Page 2 of 7



For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

Personal precautions, protective equipment and emergency procedures: For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel" Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Methods and materials for containment and cleaning up Small spill: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor Large spill: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7: Handling and Storage

Precautions for safe handling Protective measures: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container. Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8: Exposure Controls/Personal Protection

Exposure Limits Engineering Controls

None

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

(Revision Date 3/25) Page 3 of 7



For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

Personal Protection

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contactis possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Respiratory protection: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

(Revision Date 3/25) Page 4 of 7



For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

pН

Section 9: Physical and Chemical Properties

Solid. [Powder.] White to yellowish. **Appearance**

Characteristic. Odor **Odor Threshold** Not available.

178 to 194 °C **Melting Point**

Freezing Point N/A **Vapor Pressure** Not available. Not available **Vapor Density** Not available. **Boiling Point/Range** Not available. Not available. **Decomposition temperature Viscosity** 4.22 **Evaporation Rate** Not available.

Partition Coefficient:

n-octanol/water

Closed cup >93.3°C (>199.9 **Flash Point**

Flammability Not available.

Not available. Not available. Autoignition temperature

Not available.

Flammability or Explosive Limits:

Not available. Lower Not available. Upper

Not available. Solubility(ies)

Other N/A

Chemical Stability

Section 10: Stability and Reactivity

No specific test data related to reactivity available for this product or its ingredients Reactivity

The product is stable.

Under normal conditions of storage and use, hazardous reactions will not occur. **Hazardous Polymerization**

Conditions to Avoid Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame) Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transger by ground and bonding containers

and equipment before tansferring material. Prevent dust accumulation

oxidizing materials **Incompatible Materials**

Hazardous Decomposition Products Under normal conditions of storage and use, hazardous decomposition products should

not be

Section 11: Toxicological Information

RTECS Not available.

Acute Toxicity Not available.

Skin Corrosion/Irritation

Not available.

Serious Eye Damage/Irritation

Not available.

Respiratory or Skin Sensitization

Not available.

Germ Cell Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive Toxicity

Not available.

(Revision Date 3/25) Page 5 of 7



For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

Routes of Entry

Not available.

Symptoms Related to Exposure

Not available. Not available.

Potential Health Effects

Not available.

Target Organ(s) Not available.

Section 12: Ecological Information

Ecotoxicity

Not available.

Persistance and Degradability

Not available.

Bioaccumulative Potential

Product/ingredient name: Pregnenolone LogPow: 4.22 Potential: high

Mobility in Soil

Not available

Other Adverse Effects

No known significant effects or critical hazards.

Section 13: Disposal Considerations

Waste Disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal of Container

N/A

Other Considerations

N/A

Section 14: Transport Information

DOT Classification

N/A

Section 15: Regulatory Information

Regulations

tSCA 8(a) CDR Exempt/Partial exemption: Not determined. United States inventory (TSCA 8b): Not determined. Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs): Not listed. Clean Air Act Section 602 Class I Substances: Not listed. Clean Air Act Section 602 Class II Substances: Not listed. DEA List I Chemicals (Precursor Chemicals): Not listed. DEA List II Chemicals (Essential Chemicals): Not listed.

Other

SARA 302/304 Composition/information on ingredients No products were found. SARA 304 RQ: Not applicable. SARA 311/312 Classification: Fire hazard

Section 16: Other Information

(Revision Date 3/25) Page 6 of 7



(Revision Date 3/25) Page 7 of 7